

[Sign in](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

objects memory shape graph nodes edges "re

[Advanced Search](#)
[Preferences](#)**Web Results 1 - 75 of about 107 for objects memory shape graph nodes edges "relations between regions"****[PPT]** [Slide 1](#)File Format: Microsoft Powerpoint - [View as HTML](#)**memory** management verification, **object**-oriented control flow ... A concrete store G is represented by the **shape graph** S iff we can map the vertices : VG ...www.cis.upenn.edu/~sburckha/wpe-II.ppt - [Similar pages](#)**Keith Price Bibliography General Structure and Graph ...****Graph** Matching Using a Direct Classification of **Node** Attendance, ... **edge** and region segmentation, texture, stereo and motion, **object** matching and ...iris.usc.edu/Vision-Notes/bibliography/match556.html - 85k - Cached - [Similar pages](#)**Development of a NOAA image database with feature-based retrieval ...**Spatial **relations between regions** are represented by ed NLC-graph (**edge**-labeled directed **node**-label controlled **graph**). Each region is considered as a **node** ...www.aars-acrs.org/acrs/proceeding/ACRS1990/Papers/DI190-6.htm - 39k -Cached - [Similar pages](#)**[PDF]** [Region-Based Shape Analysis with Tracked Locations](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)each procedure; **nodes** in these **graphs** represent **memory** regions, and **edges** model points-to **relations between regions**. Most impor- ...www.cs.cornell.edu/~rugina/papers/popl05.pdf - [Similar pages](#)**[PDF]** [Region-Based Shape Analysis with Tracked Locations 1 Introduction](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)This algorithm computes a points-to **graph** for each procedure; **nodes** in these **graphs** ... **memory** regions and **edges** model points-to **relations between regions**. ...www.cs.cornell.edu/~rugina/papers/tr04.pdf - [Similar pages](#)**[PDF]** [Qualitative Spatial Reasoning for Question-Answering: Axiom Reuse ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)RCC8 reasoning can be done by constraint propa- gation among triples of **nodes** in a **graph** whose **nodes** represent regions and whose **edges** are labeled by sub- ...www.ai.sri.com/pubs/files/829.pdf - [Similar pages](#)**[PS]** [Topological Relations between Discrete Regions 1 Introduction](#)File Format: Adobe PostScript - [View as Text](#)In this paper we concentrate on **relations between regions** without holes. ... shows 2D picture elements, enriched by **edge** and **node** elements (Fig. 2). ...www.ipb.uni-bonn.de/papers/1995/winter95.topological.ps.gz?PHPSESSID=bee72f5cbb1545609b1183c482b2f7ee - [Similar pages](#)**[PDF]** [Improved Topological Fiducial Tracking in the reactIVision System ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)Each tangible reactTable* **object** is associated with a spe- cific behavior, such as making a ... pear as leaf **nodes** in the region adjacency **graph**. Figure 3 ...www.audiomulch.com/~rossb/writings/Procams05-BencinaKaltenJorda.pdf - [Similar pages](#)**[PDF]** [Improved Topological Fiducial Tracking in the reactIVision System ...](#)

File Format: PDF/Adobe Acrobat

pear as leaf **nodes** in the region adjacency **graph**. Figure 3 ... nects the libraries and handles fiducial **object** lifetime track- ...

ieeexplore.ieee.org/iel5/10468/33215/01565409.pdf?arnumber=1565409 - [Similar pages](#)

[PDF] [A Genetic Algorithm for Searching Spatial Configurations](#)

File Format: PDF/Adobe Acrobat

a spatial configuration is a complete **graph** with **nodes** (i.e., **objects**) and **edges** (i.e., topological relations). In spatial databases, the combination of ...

ieeexplore.ieee.org/iel5/4235/30975/01438401.pdf - [Similar pages](#)

[[More results from ieeexplore.ieee.org](#)]

[PDF] [Reactive Tabu Search for Measuring Graph Similarity](#)

File Format: PDF/Adobe Acrobat

In particular, **graphs** may be used for scene representation [2]: vertices represent scene regions, while **edges** represent binary **relations between regions**. ...

www.springerlink.com/index/MB5C4MJ0FN1YN3DU.pdf - [Similar pages](#)

[PDF] [Topology in Raster and Vector Representation](#)

File Format: PDF/Adobe Acrobat

size, and common origin), with cells, **edges** and **nodes** labeled by three values for: interior, boundary and exterior;. Figure 7. A (regular **shaped**) cell ...

www.springerlink.com/index/G66162X244771330.pdf - [Similar pages](#)

[[More results from www.springerlink.com](#)]

[PS] [Contents](#)

File Format: Adobe PostScript - [View as Text](#)

stractions as **nodes** and a set of tactic abstractions as **edges**, i.e. (... is basically a directed **graph** with **objects** (or rather some spatial aspect of them ...

ki.cs.tu-berlin.de/~schmid/pub-ps/sppraum-j97.ps - [Similar pages](#)

[PS] [Qualitative and Quantitative Approaches to Spatial Inference and ...](#)

File Format: Adobe PostScript - [View as Text](#)

The **nodes** of the **graph** are the **objects** in the text. ... Randell et al [RCC92] to represent binary topological **relations between regions**, ...

ki.cs.tu-berlin.de/~sppraum/juni-paper.ps.gz - [Similar pages](#)

[Chapter 1 Semantic Processing of color Images S. D ASIPOULOU ...](#)

File Format: Unrecognized - [View as HTML](#)

the number of possible **shapes** or **object** types, supporting even complex queries describing several ... Finally, each **edge** of the **graph** stores the two linked ...

www.image.ece.ntua.gr/php/savepaper.php?id=411 - [Similar pages](#)

[PDF] [Solid Modeling](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The **node** that corresponds to E also contains references to **edges** E1 and E2. E1 is ... or adjacency **relations between regions** was developed by Rossignac and ...

www.gvu.gatech.edu/~jarek/papers/SolidModelingWebster.pdf - [Similar pages](#)

[PDF] [A Genetic Algorithm for Searching Spatial Configurations](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Using a **graph**-based representation, a spatial configuration is a complete **graph** with n **nodes** (i.e., **objects**) and $n(n - 1)/2$ **edges** (i.e., ...

www.inf.udec.cl/~andrea/papers/TEC05.pdf - [Similar pages](#)

[PDF] [SIMILARITY ASSESSMENT FOR CARDINAL DIRECTIONS BETWEEN EXTENDED ...](#)

File Format: PDF/Adobe Acrobat

that record directions between irregularly-**shaped objects** without approximating ... This **graph** has a vertex for each cardinal direction and an **edge** for each ...

www.spatial.maine.edu/Publications/phd_thesis/Goyal2000.pdf - [Similar pages](#)

[PDF] [Algorithms for Hierarchical Spatial Reasoning](#)

File Format: PDF/Adobe Acrobat

In order to define direction **relations between regions** we use ... **nodes** in a hierarchy of height h. For each **object** (except for the ones at levels 0 and 1) ...

www.spatial.maine.edu/~max/hierarchicalReasoning.pdf - [Similar pages](#)

[[More results from www.spatial.maine.edu](#)]

[PDF] [Multiscale Histograms: Summarizing Topological Relations in Large ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The integer, corresponding to a **node** (grid point) in the grid, is increased by 1 if an **object** contains the **node**. • The integer, corresponding to an **edge** ...

www.itee.uq.edu.au/~zxf/_papers/vldb02.pdf - [Similar pages](#)

[PS] [DYNAMIC DATA STRUCTURE ANALYSIS AND VISUALIZATION OF JAVA PROGRAMS](#)

File Format: Adobe PostScript - [View as Text](#)

basically a summary of the unified **shape graph**. Contrary to their work, ... mine every **node/object** and every **edge** that is present in the program. ...

www.sable.mcgill.ca/publications/thesis/masters-spheng/sable-thesis-2006-masters-spheng.ps.gz - [Similar pages](#)

[PDF] [Spatial range queries using traces](#)

File Format: PDF/Adobe Acrobat

More complex **shapes** can be a polyline or a polygon, composed of a number of segments (set). Relatively small **objects** like a ...

taylorandfrancis.metapress.com/index/TQY7DUH6MQ9C5B1Q.pdf - [Similar pages](#)

[PDF] [Qualitative Representation of Spatial Knowledge in Two-Dimensional ...](#)

File Format: PDF/Adobe Acrobat

A spatial constraint network is a **graph**-based description of a scene, where the **nodes** represent **objects**, and the arcs correspond to disjunctions of ...

portal.acm.org/ft_gateway.cfm?id=615209&type=pdf - [Similar pages](#)

[BibTeX database subiso.bib % exported by BibGene 1.2.2, Wed, May ...](#)

The **nodes** of the **graph** denotes faces on the surface, and **edges** indicate the ... the geometrical structure and **shape** of the surface bounding the **object**. ...

www.ics.uci.edu/~eppstein/bibs/subiso.bib - 290k - [Cached](#) - [Similar pages](#)

[PS] [Applications of Computational Geometry to Geographic Information ...](#)

File Format: Adobe PostScript - [View as Text](#)

sites can be formulated as a shortest path search in a **graph** where **nodes** are terrain vertices ... to obtain a feasible approximation of the **object shape**. ...

www.disi.unige.it/person/PuppoE/PS/handbook.ps.gz - [Similar pages](#)

[PS] [Area Paper: Spatial Intelligence](#)

File Format: Adobe PostScript - [View as Text](#)

Landau and Jackendo [40] emphasize the primality of **shape** in **object** naming. ... species what **relations between regions** are possible (e.g. Disconnected, ...

www.cs.rochester.edu/u/learn/LearnA_area_paper.ps - [Similar pages](#)

[PDF] [Automatic Segmentation of Moving Objects in Video Sequences](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

a binary model for the **object** of interest has been derived from the **edge** image ... A region adjacency **graph** (RAG) $G = (S, E)$, where the set of **nodes** $S = \{S \dots$

www.stanford.edu/~tsaig/Papers/thesis.pdf - [Similar pages](#)

[PDF] [COGNIRON](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

of **graphs** is used in which at the low level the **nodes** indicate **objects**, at a higher level ...

Broadly, features may be classified as color, **shape**, **edges**, ...

www.cogniron.org/download/deliverables/deliverables%202005/Cogniron_D5.2005-1_RA5.pdf - [Similar pages](#)

[PDF] [A topological data structure for hierarchical planar subdivisions ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

partition of the plane determined by an embedded planar **graph** 7]. ... For instance, a **edge** representing a highway is broken into several **nodes** due to ...

www.cs.uwaterloo.ca/research/tr/1995/53/CS-95-53.pdf - [Similar pages](#)

[PDF] [Animating Autonomous Pedestrians](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Nodes and arcs in the **graph** indicate **relations between regions**, ... to environmental regions and **edges** between **nodes** represent accessibility between ...

cs.nyu.edu/web/Research/Theses/shao_wei.pdf - [Similar pages](#)

[PDF] [Visual Routines and Attention Satyajit Rao](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Visual routines define **objects** and parts, their **shapes** and spatial relations, ... relative position with respect to the **edges**. The system can use the **graph** ...

courses.csail.mit.edu/6.803/pdf/rao.pdf - [Similar pages](#)

[Content-Based Image Retrieval at the End of the Early Years](#)

When the **object** has a (nearly) fixed **shape**, like a traffic light or an eye, ... Implicit spatial **relations between regions** sketched by the user in [163] ...

doi.ieeecomputersociety.org/10.1109/34.895972 - [Similar pages](#)

[PDF] [National Center for Geographic Information and Analysis Algorithms ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

In order to define direction **relations between regions** we use projections on the x and ...

The **objects** are represented as **nodes** in a hierarchy of height h. ...

www.ncgia.ucsb.edu/Publications/Tech_Reports/96/96-2.PDF - [Similar pages](#)

[PS] [On the Qualitative Representation of Spatial Knowledge in 2D Space](#)

File Format: Adobe PostScript - [View as Text](#)

A spatial constraint network is a **graph**-based description of a scene, where the **nodes** represent **objects** and the arcs correspond to disjunctions of ...

www.cs.ust.hk/faculty/dimitris/PAPERS/VLDB94.ps.Z - [Similar pages](#)

[PDF] [StampIt - A Stamping Utility for PDF Documents](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The dual **graph** (figure 1) has a high diversity of **node** degrees, a ... [19] The Categorical Product Data Model as a Formalism for **Object** ...

www.geo.unizh.ch/cosit03/dccomplete.pdf - [Similar pages](#)

[PDF] [Algorithms for Hierarchical Spatial Reasoning](#)

File Format: PDF/Adobe Acrobat

In order to de@ne direction **relations between regions** we use projections on the ... represented as **nodes** in a hierarchy of height h. For each **object** (except ...

heldref.metapress.com/index/R216218132H76277.pdf - [Similar pages](#)

[PDF] [HKUST Institutional Repository](#)

File Format: PDF/Adobe Acrobat

In order to define direction **relations between regions** we use projections on the x and ...

The **objects** are represented as **nodes** in a hierarchy of height h. ...

repository.ust.hk/dspace/bitstream/1783.1/2510/1/dp1996a.pdf - [Similar pages](#)

[PDF] Reasoning About GeographyFile Format: PDF/Adobe Acrobat - [View as HTML](#)The hierarchical **relations between regions** allow people to ... Inconsistency in spatial knowl- **edge**. **Memory & Cognition**, 11, 107-113. ...www.ualberta.ca/~nrbrown/pubs/FriedmanBrown2000a.pdf - [Similar pages](#)**[PDF] Integrated Spatial Reasoning in Geographic Information Systems ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)Visual **object** recognition involves reasoning about the **shapes** and ... being the **nodes** and the **relations** between them forming the labeled **edges** of a directed ...www.library.umaine.edu/theses/pdf/Sharma.pdf - [Similar pages](#)**[PDF] Research Report of the Signal and Image Processing Department 2002 ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)similarities between **node** (respectively **edge**) attributes of the model and the data, ... 3d**object** indexing using multiresolutional reeb **graph**. ...www.tsi.enst.fr/~bloch/tsi_eng_0203.pdf - [Similar pages](#)**[PS] SEGMENTATION OF MEDICAL IMAGE VOLUMES USING INTRINSIC SHAPE ...**

File Format: Adobe PostScript

shape of the **objects** in the scene. However, segmentation algorithms differ in the ... which represent the layout of **edge** elements in images with **graphs**, ...infolab.stanford.edu/pub/cstr/reports/cs/tr/99/1617/CS-TR-99-1617.ps - [Similar pages](#)**[PS] Content-Based Document Retrieval Using Natural Language**File Format: Adobe PostScript - [View as Text](#)processor **nodes**, which control both the storage devices and the VLSI search ... **relations between regions** of interest. This relational information plays an ...sunknoll1.informatik.tu-muenchen.de/~knoll/publikationen/tr98-232.ps - [Similar pages](#)**[PDF] REFACE**File Format: PDF/Adobe Acrobat - [View as HTML](#)The algorithms are based on placing Steiner points along the TIN **edges** and then creating a **graph** in which is applied Dijkstra's shortest-path algorithm. ...www.geoide.ulaval.ca/Files/Socio.pdf - [Similar pages](#)**[PDF] C:/Documents and Settings/ranganat/My Documents/Papers on srg-a21p ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)4.1 Different **relations between regions**, as defined by RCC ... where E = the number of **edges** of the task **graph**. N = the number of **nodes** of the task **graph** ...gaia.cs.uiuc.edu/papers/thesis-anand.pdf - [Similar pages](#)**[PDF] Content-based image retrieval at the end of the early years ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)**graph** that encodes their spatial relations. Starting from a **shape** description, the authors in [94]. decompose an **object** into its main components, making the ...pascal.inrialpes.fr/tmp/papers/00895972.pdf - [Similar pages](#)**[PDF] Modelling spatial object behaviours in object- relational geodatabase**File Format: PDF/Adobe Acrobat - [View as HTML](#)features junction and **edge** correspond to **node** and arc in the georelational model, ... constraints on the geometric size/**shape** of **objects** in the database. ...www.itc.nl/library/Papers/msc_2002/gfm/osei_twumasi.pdf - [Similar pages](#)**[PDF] A Hierarchical Object-Based Approach for Urban Land-Use ...**

File Format: PDF/Adobe Acrobat

9.5 Quality improvement by forming a more compact **object shape** ... 228 ... 4.7 The

derived cells, **edges** and **nodes** of an image **object** based on a binary ...
www.itc.nl/library/Papers_2003/phd_theses/zhan.pdf - [Similar pages](#)

[PDF] [ABSTRACT](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

puting smooth vertical **shape** is by using **edge** based methods which rely on ... as the adjacency matrix of a directed acyclic **graph** (DAG) of N **nodes**, we ...
<https://drum.umd.edu/dspace/bitstream/1903/1790/1/umi-umd-1769.pdf> - [Similar pages](#)

[PDF] [Dynamic Datastructures](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

fixed relationships between cells and **edges**. The **shape** and position information is mainly contained in the coordinates of. the **nodes** of. the **object** ...
www.ncg.knaw.nl/Publicaties/Geodesy/pdf/40Molenaar_2.pdf - [Similar pages](#)

[PS] [Chapter 1 SPATIAL LOGIC + TEMPORAL LOGIC =?](#)

File Format: Adobe PostScript - [View as Text](#)

spaces on **graphs**: the distance between two **nodes** of a **graph** is defined ... region connection calculi (where topological **relations between regions** ...
www.dcs.bbk.ac.uk/~roman/papers/KK-chapter.ps - [Similar pages](#)

[PDF] [Chapter 1 SPATIAL LOGIC + TEMPORAL LOGIC = ?](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Reasoning about topological **relations between regions** such ... spaces on **graphs**: the distance between two **nodes** of a **graph** is defined ...
www.dcs.bbk.ac.uk/~michael/KK-chapter.pdf - [Similar pages](#)

[PDF] [Lecture Notes: Multimedia Information Systems](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Network structures: data with a **graph**-like structure e.g. a network where. the **nodes** are formed by the multimedia items and where the weighted **edges** ...
staff.science.uva.nl/~worrying/teaching/mmis2003/mmis03.pdf - [Similar pages](#)

[PDF] [Topics in Soft Computing](#)

File Format: PDF/Adobe Acrobat

The **nodes** in the **graph** are the. operations, and the **edges** that connect ... The main difference appears to be in how **relations between regions** are defined. ...
www.nada.kth.se/utbildning/forsk.utb/avhandlingar/dokt/keukelaar.pdf - [Similar pages](#)

[PS] [Generation of Qualitative Spatio-temporal Representations from ...](#)

File Format: Adobe PostScript - [View as Text](#)

separate regions then the problem of modelling **relations between regions** with ... Prior information usually takes the form of **object shape** models which ...
www.comp.leeds.ac.uk/research/pubs/theses/fernyhough.ps.gz - [Similar pages](#)

[@string{jsym} = {The Journal of Symbolic Logic} @string{ijgis} ...](#)

The **nodes** of these lattices correspond to concepts expressed in the theory as monadic ...
 title= {**Memory**-Based Reasoning Applied to English Pronunciation}, ...
www.comp.leeds.ac.uk/brandon/brandon.bib - 439k - [Cached](#) - [Similar pages](#)

[PDF] [Chapter 1 MODAL LOGICS OF SPACE](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

natural conditions on accessibility relations in **graphs** and modal axioms. of certain **shapes** can also be studied per se, as a matter of semantic ...
www.ilic.uva.nl/Publications/ResearchReports/PP-2006-08.text.pdf - [Similar pages](#)

[PDF] [Geometric Algorithms for Geographic Information Systems](#)

File Format: PDF/Adobe Acrobat

of the **objects** to be stored. Each non-leaf **node** stores the smallest rectangle ... planar **graphs**, the number of vertices and **edges** of FVD(S) is also $O(m)$
www.library.uu.nl/digiarchief/dip/diss/1888877/full.pdf - [Similar pages](#)

MicroImages Technical Articles

Automated Channel Ordering and **Node** Indexing for Raster Channel Networks Jurgen Garbrecht and Lawrence W. ... **Edge**- and **Shape**-Based Geometric Registration ...
www.microimages.com/advanced/technicalarticles.htm - 389k - [Cached](#) - [Similar pages](#)

[PS] FEATURE-BASED STEREO VISION ON A MOBILE PLATFORM

File Format: Adobe PostScript
 nition of **objects** in a natural scene by their geometric **shapes** and by ... formation of an **edge-graph** whose **nodes** and arcs are the junctions and **edges** re- ...
www.csse.uwa.edu.au/pub/robvis/theses/DuHuynh.ps.gz - [Similar pages](#)

[PDF] N 1096

File Format: PDF/Adobe Acrobat
 The **edge-node graph** is a subcomplex of the complex within which it is embedded. ... **memory**-based, **object** structures. Due to the restrictions surrounding the ...
www.elet.polimi.it/upload/pelagatt/TISIT-19107-spatial%20schema.pdf - [Similar pages](#)

[PDF] Symbolic and Spatial Data Analysis : Mining Complex Data Structures

File Format: PDF/Adobe Acrobat
 All **objects** of a symbolic data set may not be defined on the same ... from the **memory** of the **nodes** aggregates lists due to be collected in the next ...
www.info.fundp.ac.be/ssda-pkdd04/SSDA%20Workshop.pdf - [Similar pages](#)

[PDF] Representation of and reasoning with vagueness in spatial ...

File Format: PDF/Adobe Acrobat
 7.8 **Graphs** of average areas of beach **objects** for years 1990–2000. ... Figure 6.7: Testing Delaunay **edges** for being in the α -**shape** by using min and max ...
library.wur.nl/wda/dissertations/dis3981.pdf - [Similar pages](#)

[PDF] FCAKDD 2002

File Format: PDF/Adobe Acrobat
 set of **objects** described as **graphs**, each **node** in the GS would ideally ... the extension of concepts corresponds to topological **relations between regions** ...
www.lirmm.fr/~liquiere/Documents/FCAKDDProceedings2002.pdf - [Similar pages](#)

[PDF] Ubicomp 2002 Adjunct Proceedings

File Format: PDF/Adobe Acrobat
 envision gossip **nodes** to be embedded into user's cell. phones or personal digital assistants, where the chance. coupling or grouping of these devices **shapes** ...
www.viktoria.se/ubicomp/ubicomp_adjunct_proceedings.pdf - [Similar pages](#)

Diffusion des savoirs de l'École normale supérieure [Translate this page]

Context may include geometric relations between **object** parts, relations between **objects**, **relations between regions** in images, and geometric cues. ...
www.diffusion.ens.fr/en/index.php?res=conf - 480k - [Cached](#) - [Similar pages](#)

[PDF] ISO 19107

File Format: PDF/Adobe Acrobat
 The **edge-node graph** is a subcomplex of the complex within which it is embedded, ... be reconstructed, at a cost, in **memory**-based, **object** structures. ...
<https://committees.standards.org.au/COMMITTEES/IT-004/PRIVATE/I0028/ISO%2019107%20.pdf> - [Similar pages](#)

[PDF] Using Ontologies to Resolve Semantic Heterogeneity for Integrating ...

File Format: PDF/Adobe Acrobat

It is printed. • It has rectangle **shape**. • It is bound in one **edge**. ... **relations between regions**, lines and points in geographic databases. Technical ...
www.ifi.unizh.ch/dbtg/Projects/MIGI/publication/thesis.pdf - [Similar pages](#)

[PDF] [Efficient Simultaneous Localization and Mapping Algorithms using ...](#)

File Format: PDF/Adobe Acrobat

sis because the local regions and spatial **relations between regions** have one-to-one correspondence to **nodes** and **edges** defining a **graph**. ...
<https://dspace.mit.edu/bitstream/1721.1/33448/1/62889446.pdf> - [Similar pages](#)

[PDF] [Lightweight Structure in Text](#)

File Format: PDF/Adobe Acrobat

edges, and dark lines are syntax tree **edges**. Rules are applied to **nodes** in ... These **relations between regions** in a string are similar to the relations ...
www.cs.cmu.edu/~rcm/papers/thesis/thesis.pdf - [Similar pages](#)

[PDF] [PRECISION FORESTRY](#)

File Format: PDF/Adobe Acrobat

sian **Object** Recognition for the Analysis of Complex Forest. Scenes in Airborne Laser Scanner ... Topological **Relations Between Regions**, Lines, and Points ...
www.cfr.washington.edu/research.pfc/publications/pfc_final_symp_03.pdf - [Similar pages](#)

[PS] [RESOURCE AND KNOWLEDGE DISCOVERY FROM THE INTERNET AND MULTIMEDIA ...](#)

File Format: Adobe PostScript

The Generalized Hough Transform (GHT) [22] is adopted to represent the **shape** of the **object**. Briefly, each **edge** point in the **object** model is represented by a ...
fas.sfu.ca/pub/cs/theses/1999/OsmarZaianePhD.ps.gz - [Similar pages](#)

[PDF] [RESOURCE AND KNOWLEDGE DISCOVERY FROM THE INTERNET AND MULTIMEDIA ...](#)

File Format: PDF/Adobe Acrobat

The Generalized Hough Transform (GHT) [22] is adopted to represent the **shape** of the **object**. Briefly, each **edge** point in the **object** model is represented by ...
fas.sfu.ca/pub/cs/theses/1999/OsmarZaianePhD.pdf - [Similar pages](#)

[PDF] [Räumliche Entscheidungsfindung mit Hilfe raumbezogener ...](#)

File Format: PDF/Adobe Acrobat

shapes, the position of other **objects**, the frame of reference, ... J. (1990): Categorizing Binary Topological **Relations Between Regions**, Lines, and Points ...
webdoc.sub.gwdg.de/diss/2001/mysiak/mysiak.pdf - [Similar pages](#)

[PDF] [Contents](#)

File Format: PDF/Adobe Acrobat

mental imagery, the **graphs** let you sense at a single go what the idea is. ... Likewise, basic experiences with **objects** in infancy **shape** primary metaphors ...
sammelpunkt.philo.at:8080/archive/00000006/01/zentralpdf.PDF - [Similar pages](#)

[PDF] [Sketch-Based Retrieval in Large Sets of Drawings](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Content-Based Retrieval of 3D **objects** and review methods for **shape** ... common **edge** subgraph (MCES) and the **nodes** and **edges** of the two **graphs** to be com- ...
sketch.inesc-id.pt/technicalreports/Fonseca%20-%20PhD%20Thesis.pdf - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 75 already displayed.

If you like, you can repeat the search with the omitted results included.

objects memory shape graph nodes

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google